


This guide drawing is the property of and contains intellectual property belonging to Crestron Electronics, Inc. This drawing and the concepts included in this drawing may be used by Crestron dealers, and partners in design, development, installation and commissioning of Crestron based systems. The system engineer/specifier/design professional/integrator/installer is responsible for the accuracy of all project design details, and specifications, including system application and coordination with related systems and equipment. This system drawing is provided as a convenience and may require further detail and development to satisfy actual project use cases and requirements. Crestron electronics, inc. shall not be liable for any damages arising out of the use of any of its guide, example or application diagrams or drawings.



Functionality Focus: AM-TX3-200

Functionality facilitated by:
 AM-TX3-200 (AirMedia® Connect endpoint)

- 2x1 Presentation AV or BYOD Conferencing
- Two presentation source connection options
- Installed endpoint transmitter for AirMedia® Connect link.

AM-TX3-200 + AM-3200-WF


Functionality facilitated by:
 AM-TX3-200 (AirMedia® Connect endpoint)
 AM-3200-WF (AirMedia® Connect receiver)

- Presentation from Endpoint (Presenting laptop connects to room display and audio system)
- BYOD Conferencing from Endpoint (Presenting laptop connects to room display, audio system and camera)

Signal Legend	
	PWR
	SER
	USB-C DP
	HDMI
	LAN PoE+
	DC
	USB 2.0
	USB 3.0
	WiFi




Equipment Firmware Requirements		
Make	Model (Desc.)	Min. Firmware Version
Crestron	AM-3200-WF (Presentation Gateway)	AM 3.0600.0079
Crestron	AM-TX3-200 (Presentation Transmitter)	AM Connect 2.0

This guide drawing is the property of and contains intellectual property belonging to Crestron Electronics, Inc. This drawing and the concepts included in this drawing may be used by Crestron dealers, and partners in design, development, installation and commissioning of Crestron based systems. The system engineer/specifier/design professional/integrator/installer is responsible for the accuracy of all project design details, and specifications, including system application and coordination with related systems and equipment. This system drawing is provided as a convenience and may require further detail and development to satisfy actual project use cases and requirements. Crestron electronics, inc. shall not be liable for any damages arising out of the use of any of its guide, example or application diagrams or drawings.



Equipment Firmware Requirements		
Make	Model (Desc.)	Min. Firmware Version
Crestron	AM-3200-WF (Presentation Gateway)	AM 3.0600.0079
Crestron	AM-TX3-200 (Presentation Transmitter)	AM Connect 2.0

This drawing is the property of and contains intellectual property belonging to Crestron Electronics, Inc. This drawing and the concepts included in this drawing may be used by Crestron dealers, and partners in design, development, installation and commissioning of Crestron based systems. The system engineer/specifier/design professional/integrator/installer is responsible for the accuracy of all project design details, and specifications, including system application and coordination with related systems and equipment. This system drawing is provided as a convenience and may require further detail and development to satisfy actual project use cases and requirements. Crestron electronics, inc. shall not be liable for any damages arising out of the use of any of its guide, example or application diagrams or drawings.



Functionality Focus: AM-TX3-200

- Functionality facilitated by:
 AM-TX3-200 (AirMedia® Connect endpoint)
 1. 2x1 Presentation AV or BYOD Conferencing endpoint
 2. Two presentation source connection options
 3. Installed endpoint transmitter for AirMedia® Connect link.

- Functionality facilitated by:
 AM-TX3-200 (AirMedia® Connect endpoint)
 AM-3200-WF (AirMedia® Connect receiver)
 1. Active Learning Pod subsystem present function
 2. Active Learning Pod BYOD Endpoint Function [connect to room speaker/mic and camera]

Equipment Firmware Requirements		
Make	Model (Desc.)	Min. Firmware Version
Crestron	AM-3200-WF (AM-3200-WF)	AM 3.0600.0079
Crestron	AM-TX3-200 (Presentation Transmitter)	AM Connect 2.0
Crestron	IV-CAM-I12 (Camera)	